STANISCI. DESIGN

PML Ventilation

Professional Mesh Liners (PML)

Professional Mesh Liners

Technical Features:

- Dimmer LED lighting
 - Variable speed fan control
- Large dishwasher safe stainless steel mesh insert filters
- Several blower combinations available
- •Liner sizes available from 30" 60"
- Made exclusively for Stanisci Design by Modern-Aire Ventilation



Stanisci Design ventilation has been engineered specifically for Stanisci Design Range Hoods, and are in-stock and ready to ship!

Features your customers want:

- Dishwasher safe filters
- Dimmer controlled LED lighting
- •European design
- •Three year in home warranty
- Quiet, variable speed blower- made in Germany
- •Charcoal filters available for re-circulating applications (air must be directed out of hood to maintain warranties).

700 South Glaspie Street • Oxford, MI 48371 • (248) 572-6880 • email: sales@wood-hood.com • www.wood-hood.com


STANISCI. DESIGN

PML Ventilation

Professional Mesh Liners (PML)

SM600/300 PML-600/300-XX	600 CFM motor *comes with optional wire harness to reduce max CFM to 300				
DUCTING	8" ROUND				
AMPS	110V - 15 amp dedicated circuit				
PML-600/300 PML-600/300 PML-600/300 PML-600/300 PML-600/300	0-36: 34-3/8 W x 20-5/8 D 0-42: 40-3/8 W x 20-5/8 D 0-48: 46-3/8 W x 20-5/8 D 0-54: 52-3/8 W x 20-5/8 D				

SM1200 PML-1200-XX	1200 CFM motor				
DUCTING	10" ROUND				
AMPS	110V - 15 amp dedicated circuit				
NOT AVAILABLE IN 30" WIDE					
PML-1200-36:	34-3/8 W x 20-5/8 D				
PML-1200-42:	40-3/8 W x 20-5/8 D				
PML-1200-48:	46-3/8 W x 20-5/8 D				
PML-1200-54:	52-3/8 W x 20-5/8 D				
PML-1200-60:	58-3/8 W x 20-5/8 D				




WOOD HOOD	28-3/8"	34-3/8"	40-3/8"	46-3/8"	52-3/8"	58-3/8"
MODEL & SIZE	PML-30	PML-36	PML-42	PML-48	PML-54	PML-60
C,CX, E200, E300, ER200, ER300, ER400, ER500, ER600, FX200, FX300, K200**, K300**, L2, SB100	30	36	42	48	54	60
I – ISLAND (36 N/A w/1200 CFM)	N/A	36	42	48	54	60
B, D, E, G, GT	N/A	36	42	48	54	60
W	NA	N/A	N/A	66	72	78, 84, 90
H, L, N	NA	54	60	66	72	78
BX, BXV, M, Q, X	30	36	42	48	54	60
A, J, P, S, Z200	33 or 36	39 or 42	45 or 48	51 or 54	57 or 60	63
H2	42	48	54	60	66	72
AX	31	37	43	49	55	61

700 South Glaspie Street • Oxford, MI 48371 • (248) 572-6880 • email: sales@wood-hood.com • www.wood-hood.com

STANISCI. DESIGN

Ductwork Installation

PML, PBL, and SS-BASE



*Please note some cooktops require the range hood to be mounted higher than 30", see manufacturers specifications

700 South Glaspie Street • Oxford, MI 48371 • (248) 572-6880 • email: sales@wood-hood.com • www.wood-hood.com